

Reference to last measurement 8

First, Final

M. A. R. 57 (Rule 116)
Measurement Book

No. E
488476

Serial No.


Name of work From To

Name of Contractor of nature of Agency Sri. Ranganatha K.M.

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Name of work:	General public toilet and Septage main					
	Estimate cost Rs:	2.50 lakhs.					
	Job code No:	014-13-000045					
	As No: →	EE/DD/As/120/2018-19					dated 23/11/2021
	Modified TS No: →	CE/DZ/TS/38/2021-22					dated 30/05/2020
	W.O.No: →	EE/DD/W.O/BS/2020-21					
							<u>Signature</u>

MEASUREMENT BOOK



M. A. R. 57 (Rule 116)
Measurement Book

No. E
488477

From To

1		2			3			4			5			6			7			8		
Serial No.		Name of work			Date of commencement of work			Full description, etc. of work			Number			Length			Breadth			Depth		
1		Date			Full description, etc. of work			Number			Length			Breadth			Depth			Contents		
2		Disposal of debris to the final place of disposal with all load and lift as specified by the Engineer in charge of the work and as per item on the schedule of materials as per specification etc. as per specification.			11/			2.70			1.50			0.30			13.37 cum			B		
3		Rate B 70/100			Earth work in surface excavation in hard soil for levelling and lowering the ground manually			Rate B 70/100			13.37 cum			B			335 = 70			335 = 70		

M. A. R. 57 (Rule 116)
Measurement Book

No. E
488477

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	other than the following sort of building, cellars, road drains and trenches of pipe laps and cable and retaining the concrete slabs to a depth of 1.5m and retaining 50cm and left up to 1.5m concrete retaining walls and neatly dressed after bracing of slabs at couple of per specification						
	BF measurements recorded in this MB						
	vide page no: 488 490						
	ie 13.37 m ³ @ rate R 244.84						
	EREL2 Bracing and lagging in position plaster concrete of mix M10 with OPC cement @ 220 kgs with 10mm & d/s graded granite bonded coarse aggregate @ 0.892 cum and fine aggregate @ 0.465 m ³						

3273.5

M. A. R. 57 (Rule 116)
Measurement Book

No. E
483478

Serial No. From To

Name of work

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	machs or mixed concrete laid in layers not exceeding 15cm thick well compacted in founded and old plinth including cost of all materials labour, haul of materials etc as per specification						
	BF measurements recorded in this MB						
	vide page no: 488 490						
	ie 6.68 m ³ @ rate R 5615.66/m ³						
	EREL3 Bracing and lagging in position plaster concrete of mix M-20 with OPC cement @ 300 kgs 25mm and d/s graded granite bonded coarse aggregate @						

37,512 - 63
3715+3-94

R. S. ...
...

...

M. A. R. 57 (Rule 116)
Measurement Book

No. E
488473

Date	Full description, etc. of work	Dimensions					Contents
		Number	Length	Breadth	Depth		
1		3	4	5	6	7	
2	0.64 cum and five aggregate at Super phosphates @ 3 kgs for transportation for \$5 @ 103-1999 re estimated 2018 machine repaired labourable laid : 2 layers not exceeding 15 cms thick well compacted or example as per specification	2-50	1.40	0.15	5.78 m ³		
	@ Rate Rs. 616.786/m ³						A 35649.07
3)	Foundation and fixing granite bedels & piers cost of material labour as per specification	n/w @ Rate Rs. 11676.45/-					A 21840.5

R. S. S. B. S. R. S. S. B

Serial No. From ... To ...							
Name of work Name of Contractor of nature of Agency							
Date of commencement of work							
Date	Full description, etc., of work	Number	Length	Breadth	Depth	Contents	Reference to last Measurement
		3	4	5	6	7	8
1	2	3	4	5	6	7	8
ER/S)	Providing and removing scaffolding, propping etc and removal of form work for vertical surface such as walls at any third floor including attached platform, balcony, plinth etc and other works etc complete as per specification.						
	BF provided in Reinforced concrete slab. In side page no: 488491 ie 25.74 m ² Rate R-398 ~~4~~ /m ² A 10255 = 23						
2/R/LG)	Providing 20mm thick cement plaster for single coat with cement mortar 1:4 to stone masonry and covered						

५३३

23/12/21

No. E 488480

[illegible]